

A concept providing power, data, and media where you want it



# Powerdot

## Fixed level unit

Black 935-PD10


White 935-PD10W



Dimensions



Can be supplemented with decor frame.



CERTIFIED ACCORDING TO  
CE AND GS STANDARD



1 POWER



4 CABLE FEEDTHROUGH

## Simple and functional

A convenient satellite fitted with an electrical outlet and four cable ports. Its detachable top allow for an easy insertion of additional cables. Quick and simple installation flush with the desk surface.



### SPECIFIKATIONS

- 1 x Power, 4 x Cable feedthrough
- Electrical Connection:  
Schuko / grounded 1.5m
- Drilling diameter 79 mm
- Total height 51 mm
- Part no.  
Black 935-PD10  
White 935-PD10W  
Accessories:  
Decor frame, 115x115 mm;  
Available in Silver / White / Black




# Powerdot

## Three level unit

Black 935-PD11



Principle for height adjustment



CERTIFIED ACCORDING TO  
CE AND GS STANDARD




1 POWER



4 CABLE FEEDTHROUGH

## Ingenious design!

A unique satellite outlet, with a pending patent, that offers three alternative height configurations. When installed at its 3rd and lowest level, cables and ports are elegantly hidden within the satellite well.



### SPECIFIKATIONS

- 1 x Power, 4 x Cable feedthrough
- Electrical Connection: Schuko / grounded 1.5m
- Drilling diameter 79 mm
- Height 89-140 mm
- Patent-pending PCT, China.
- Part No.  
935-PD11 Adjustable in 3 levels
- Accessories:
  - Decor frame, 115x115 mm
  - Cover lid
- Available in Silver / White / Black

# Powerdot




## Three level unit

Black 935-PD12




White 935-PD12W



Principle for height adjustment



CERTIFIED ACCORDING TO  
CE AND GS STANDARD

-  1 POWER
-  1 DATA
-  1 USB-CHARGER

## Unique patent pending technology

These satellite outlets are well suited for both individual desks and conference tables. Their combined use offer a complete technical solution, when a wide range of options is required. The satellite is easily mounted in table tops and can after that be adjusted in three levels depending on desired feature or needs.



Can also be supplemented with decor frame for installation of 1, 2 or 4 satellites in groups.

### SPECIFIKATIONS

- Electrical Connection:  
Schuko / grounded 1.5m  
Data CAT6  
USB Charger 5V, 2100 mA
- Adjustable in 3 levels
- Drilling diameter 79 mm
- Power, data, USB charger  
Black 935-PD12  
White 935-PD12W
- Accessories:  
- Decor frame, 115x115 mm  
- Cover lid  
Available in Silver / White / Black

# Powerdot

## Three level unit

Black 935-PD13






**935-PD13**

Power, HDMI and USB port



Frame and lid available as accessories

Principle for height adjustment



CERTIFIED ACCORDING TO  
CE AND GS STANDARD



1 POWER



1 HDMI



1 USB PORT

## Unique patent pending technology

These satellite outlets are well suited for both individual desks and conference tables. Their combined use offer a complete technical solution, when a wide range of options is required. The satellite is easily mounted in table tops and can after that be adjusted in three levels depending on desired feature or needs.



Can also be supplemented with decor frame for installation of 1, 2 or 4 satellites in groups.

### SPECIFIKATIONS

- Electrical Connection:  
Schuko / grounded 1.5m  
HDMI  
USB Port
  - Adjustable in 3 levels
  - Drilling diameter 79 mm
  - Power, HDMI, USB port  
Black 935-PD13
  - Accessories:
    - Decor frame, 115x115 mm
    - Cover lid
- Available in Silver / White / Black

# Powerdot

## Three level unit

935-PD14W White, 935-PD14 Black






935-PD14 – 1 x Power, 2 x USB-chargers



935-PD14W – 1 x Power, 2 x USB-chargers

Principle for height adjustment



CERTIFIED ACCORDING TO CE AND GS STANDARD



1 POWER



2 USB-CHARGERS



1 CABLE FEEDTHROUGH

## Unique patent pending technology

These complementary satellite outlets are well suited for both individual desks and conference tables. Their combined use offer a complete technical solution, when a wide range of options is required. The satellite is easily mounted in table tops and can after that be adjusted in three levels depending on desired feature or needs.



Can also be supplemented with decor frame for installation of 1, 2 or 4 satellites in groups.

### SPECIFIKATIONS

- Electrical Connection:  
Schuko / grounded 1.5m  
USB Charger 5V, 2400 mA
- Adjustable in 3 levels
- Drilling diameter 79 mm
- Power, 2 x USB charger  
Black 935-PD14  
White 935-PD14W
- Accessories:  
- Decor frame, 115x115 mm  
- Cover lid  
Available in Silver / White / Black

# Powerdot

## Create your solution




## Flexible solutions

The benefits of using a Powerdot based kit for your meeting or conference room is obvious, you can adapt your configuration exactly how you want it. And of course, when the demands change in the future, any configuration is easily adjusted. Flushmount Powerdot for access in tabletop or in our tray niceley concealed with a tablecover.

**POWER**  
**dot**

**Direct access in tabletop** - Available in white, silver and black

**Concealed access** - Available in white, silver and black



DECOR FRAME + 2 x COVERS  
See Product range overview



DECOR FRAME + 4 x COVERS  
See Product range overview



**NOTE.**  
A TRAY FOR 2 POWERDOTS  
IS ALSO AVAILABLE

# Product range overview

## Powerdot - Ø 80 mm



**935-PD10W** POWERDOT SATELLITE, WHITE  
1 POWER, 4 X CABLE PORT  
NOT HEIGHT ADJUSTABLE



**935-PD10** POWERDOT SATELLITE, BLACK  
1 POWER, 4 X CABLE PORT  
NOT HEIGHT ADJUSTABLE



**935-PD11** POWERDOT SATELLIT, SVART  
1 EL, 4 X KABELHÅL  
VERTICALLY MOVABLE IN 3 POSITIONS



**935-PD12W** POWERDOT SATELLITE, WHITE  
1 POWER, 1 DATA, 1 USB-CHARGER  
VERTICALLY MOVABLE IN 3 POSITIONS



**935-PD12** POWERDOT SATELLITE, BLACK  
1 POWER, 1 DATA, 1 USB-CHARGER  
VERTICALLY MOVABLE IN 3 POSITIONS



**935-PD13** POWERDOT SATELLITE, BLACK  
1 POWER, 1 HDMI, 1 USB-PORT  
VERTICALLY MOVABLE IN 3 POSITIONS




**935-PD14W** POWERDOT SATELLITE, WHITE  
1 POWER, 2 USB-CHARGER (2.1A, TOTAL)  
VERTICALLY MOVABLE IN 3 POSITIONS



**935-PD14** POWERDOT SATELLITE, BLACK  
1 POWER, 2 USB-CHARGER (2.1A TOTAL)  
VERTICALLY MOVABLE IN 3 POSITIONS

### UK, Danish and French standards



**935-PD20** POWERDOT SATELLITE, BLACK  
1 **ENGLISH** POWER, 4 CABLE PORT  
VERTICALLY MOVABLE IN 3 POSITIONS



**935-PD30** POWERDOT SATELLITE, BLACK  
1 **FRENCH** POWER, 4 CABLE PORT  
VERTICALLY MOVABLE IN 3 POSITIONS



**935-PD40** POWERDOT SATELLITE, BLACK  
1 **DANISH** POWER, 4 CABLE PORT  
VERTICALLY MOVABLE IN 3 POSITIONS



**935-PD22** POWERDOT SATELLITE, BLACK  
1 **ENGLISH** POWER, 1 DATA, 1 USB-CHARGER  
VERTICALLY MOVABLE IN 3 POSITIONS



**935-PD32** POWERDOT SATELLITE, BLACK  
1 **FRENCH** POWER, 1 DATA, 1 USB-CHARGER  
VERTICALLY MOVABLE IN 3 POSITIONS




**935-PD42** POWERDOT SATELLITE, BLACK  
1 **DANISH** POWER, 1 DATA, 1 USB-CHARGER  
VERTICALLY MOVABLE IN 3 POSITIONS



# Powerdot

## Accessories Ø 80 mm



### POWERDOT **FRAMES & COVERS** Ø 80 MM

- 935-PF01W □ METAL FRAME, FOR 1 POWERDOT, WHITE
- 935-PF01 ■ METAL FRAME, FOR 1 POWERDOT, SILVER
- 935-PF01B ■ METAL FRAME, FOR 1 POWERDOT, BLACK



- 935-PF02W □ METAL FRAME, FOR 2 POWERDOT, WHITE
- 935-PF02 ■ METAL FRAME, FOR 2 POWERDOT, SILVER
- 935-PF02B ■ METAL FRAME, FOR 2 POWERDOT, BLACK



- 935-PF04W □ METAL FRAME, FOR 4 POWERDOT, WHITE
- 935-PF04 ■ METAL FRAME, FOR 4 POWERDOT, SILVER
- 935-PF04B ■ METAL FRAME, FOR 4 POWERDOT, BLACK




- 935-PFCW □ METAL COVER, WHITE
- 935-PFCS ■ METAL COVER, SILVER
- 935-PFCB ■ METAL COVER, BLACK




# Powerdot

## Midi Ø 60 mm




## Even smaller...

The 60 mm Powerdot meets the demand for a fancy access point including power, and any cables that can be fitted through. The PM61 model has instead a powerful USB-charger for your convenience. It may be mounted in a standard 60 mm hole or integrated in the tabletop with a milled edge for a stylish flush appearance.




**935-PM60W** POWERDOT MIDI, WHITE  
1 POWER, 1 CABLE PORT WITH CLIPS  
1.7 M CONNECTION (SCHUKO)  
FIXED LEVEL. HEIGHT 74.1 MM



**935-PM60** POWERDOT MIDI, BLACK  
1 POWER, 1 CABLE PORT WITH CLIPS  
1.7 M CONNECTION (SCHUKO)  
FIXED LEVEL. HEIGHT 74.1 MM



**935-PM61W** POWERDOT MIDI, WHITE  
1 POWER, 1 USB-CHARGER (2.1A)  
1.7 M CONNECTION (SCHUKO)  
FIXED LEVEL. HEIGHT 82.1 MM






**935-PM61** POWERDOT MIDI, BLACK  
1 POWER, 1 USB-CHARGER (2.1A)  
1.7 M CONNECTION (SCHUKO)  
FIXED LEVEL. HEIGHT 82.1 MM



# Powerdot

## Micro Ø 30 mm

935-PM30 Black 935-PM30W White



Maximum table width: 26 mm




CERTIFIED ACCORDING TO  
CE AND GS STANDARD



2 USB-CHARGERS

## Only the essential...

The Powerdot meets the demand for a small, stylish USB charger that fits almost anywhere. It has the modest diameter of only 30 mm, still equipped with two outlets of total 2 A charging power.



Alternative.

PM30(W) has a small power adapter included.  
You can also connect the USB cable to any other USB port.

### SPECIFICATIONS

- Electrical Connection:  
2 x USB Charger  
Total 5V, 2000 mA
- Power cord 1.5 m
- Max tabletop 26 mm
- Height total 36.1 mm
- Drilling diameter 30 mm
- Part no  
935-PM30 Black  
935-PM30W White



Kondator AB  
P.O. Box 121  
S-135 23 Tyresö  
SWEDEN

Visiting address  
Energivägen 8  
S-135 49 Tyresö  
SWEDEN

Telephone +46-8-556 595 00

web [www.kondator.se](http://www.kondator.se)  
e-mail [info@kondator.se](mailto:info@kondator.se)

Org no 556500-1947



Kondator values our environment and our Management System is Certified by Intertek according to ISO14001, Certificate 1417792



Kondator is associated to FTI - the Packaging and Newspaper Collection Service and El-Kretsen for active recycling of packaging material and electronic devices.