

VITAWORK[®]

FACT SHEET



VITAWORK®

- Provides standard-compliant illumination of single and double workplaces according to the lighting requirements laid down in DIN EN 12464-1 and the ASR 3.4 workplace regulation
- Direct / indirect lighting offers different light intensities with absolutely even light distribution
- Operation via a touch panel or automatic setting with the help of presence and light intensity sensors
- Individually adjustable to your project

TECHNICAL DATA

VITAWORK®	
Product number	9241-140
Colour code	metallic silver/black
Dimensions	Height: 2,040 mm
	Luminaire head (W x D x H): 542 x 370 x 32.5 mm
	Clear height: >2 m
Lamp base	C-shaped
Material	Aluminium, steel (lamp base), plastic (touch panel & side caps)
Energy efficiency	A++
Protection type	IP 20
Protection class	III ⚡
Illuminants	
Fitted with	LED
Power consumption	90 W
Luminous flux of luminaire	12,000 lm
Luminous efficiency	135 lm/W
Light distribution	direct/indirect with room depth function
Colour temperature (CCT)	4,000 K
Colour tolerance	< 3 SDCM
UGR	< 19
Colour reproduction index	> 80
Burning life	over 50,000 hours
Standby consumption	≤ 0,5 W
VITACORE®	
Operation	via VITACORE® electronics and sensors
Light intensity setting	in 5 steps direct & indirect separately on the touch panel
Sensors	Infrared presence sensor
	Light intensity sensor



The floor lamp meets the lighting requirements of DIN EN 12464-1 and the ASR 3.4 workplace regulation. Alterations of dimensions, technical details and content reserved.

Status: January 2018


The new LUCTRA® floor lamp can be configured individually to fit your needs:

- Biological lighting effect or specific colour temperature
- Light intensity (7,000 – 17,000 lm)
- Control system
- Group control
- USB charging ports
- Sensors
- Colour code
- Lamp base


Talk to us.




TECHNICAL VIEW



Direct ratio



Indirect ratio



LUCTRA

LUCTRA® is a brand of
DURABLE · Hunke & Jochheim GmbH & Co. KG
Westfalenstraße 77–79 · 58636 Iserlohn
P.O. Box 1753 · 58634 Iserlohn · Germany
Phone +49 2371 662445
info@luctra.eu · www.luctra.eu